

2013-2014 School Year

Below are the number of doses and each vaccine required for school entry. Changes from the 2012-2013 requirements are indicated in **blue**.

3 to 5 years old	3 Hep B (Hepatitis B) 4 DTaP (Diphtheria, Tetanus & Pertussis) 3 Polio (Inactivated Polio) 1 MMR (Measles, Mumps & Rubella) 1 Varicella	
Kindergarten	3 Hep B 5 DTaP 4 Polio*	2 MMR 2 Varicella 2 Hep A (Hepatitis A)*
Grades 1 to 5	3 Hep B 5 DTaP 4 Polio	2 MMR 2 Varicella
Grades 6 to 10	3 Hep B 5 DTaP 4 Polio	2 MMR 2 Varicella 1 Tdap (Tetanus & Pertussis) 1 MCV4 (Meningococcal)
Grades 11 & 12	3 Hep B 5 DTaP 4 Polio	2 MMR 2 Varicella 1 Tdap (Tetanus & Pertussis) 2 MCV4 (Meningococcal)*

* = recommended not required

Hep B Two dose alternative adolescent schedule (Recombivax HB® given at age 11-15 years x 2 doses) is acceptable if properly documented.

DTaP Four doses of DTaP/DTP/DT are acceptable if 4th dose was administered on or after child's fourth birthday.

Polio Three doses of polio vaccine are acceptable if 3rd dose was administered on or after child's fourth birthday and the doses are all IPV or all OPV.

*The 4th dose of polio vaccine **must** be administered on or after child's fourth birthday. This applies only to kindergarten, 1st, 2nd and 3rd grades for 2013-2014.

MMR If given as single antigen, 2 Measles, 2 Mumps and 1 Rubella required.

Varicella Physician documentation of disease history, including month and year, is proof of immunity for children entering preschool through 5th grade. A signed statement from the parent/guardian indicating history of disease, including month and year is required for children in grades 6-12.

Tdap A Tdap booster can be given as early as 1 year after a Td vaccination.

MCV4 One dose is required. Two doses are recommended for grades 11 & 12. Individuals who receive dose 1 after their 16th birthday only need 1 dose to be up-to-date.

2014-2015 School Year (Proposed)

Below are the number of doses and each vaccine required for school entry. Changes from the 2013-2014 requirements are indicated in **blue**.

3 to 5 years old	3 Hep B (Hepatitis B) 4 DTaP (Diphtheria, Tetanus & Pertussis) 3 Polio (Inactivated Polio) 1 MMR (Measles, Mumps & Rubella) 1 Varicella	
Kindergarten	3 Hep B 5 DTaP 4 Polio*	2 MMR 2 Varicella 2 Hep A (Hepatitis A)
Grades 1 to 5	3 Hep B 5 DTaP 4 Polio	2 MMR 2 Varicella
Grades 6 to 11	3 Hep B 5 DTaP 4 Polio	2 MMR 2 Varicella 1 Tdap (Tetanus & Pertussis) 1 MCV4 (Meningococcal)
Grade 12	3 Hep B 5 DTaP 4 Polio	2 MMR 2 Varicella 1 Tdap (Tetanus & Pertussis) 2 MCV4 (Meningococcal)

Hep B Two dose alternative adolescent schedule (Recombivax HB® given at age 11-15 years x 2 doses) is acceptable if properly documented.

DTaP Four doses of DTaP/DTP/DT are acceptable if 4th dose was administered on or after child's fourth birthday.

Polio Three doses of polio vaccine are acceptable if 3rd dose was administered on or after child's fourth birthday and the doses are all IPV or all OPV.

*The 4th dose of polio vaccine **must** be administered on or after child's fourth birthday. This applies only to kindergarten, 1st, 2nd, 3rd and 4th grades for 2014-2015.

MMR If given as single antigen, 2 Measles, 2 Mumps and 1 Rubella required.

Varicella Physician documentation of disease history, including month and year, is proof of immunity for children entering preschool through 5th grade. A signed statement from the parent/guardian indicating history of disease, including month and year is required for children in grades 6-12.

Tdap A Tdap booster can be given as early as 1 year after a Td vaccination.

MCV4 One dose is required for grade 6. Two doses are required for grade 12. Individuals who receive dose 1 after their 16th birthday only need 1 dose to be up-to-date.